


### Straight Male Stud Coupling

Thread: DIN 3858  
Whitworth, Form C DIN 3858 part 2  
DIN/ISO 158:  
Whitworth, Form C DIN 3852 part 2



series	PN	Ra	G	i	S2	S1	L2	l2	weight %	article
LL	100	4	R 1/8 keg.	8	10	11	26	16,0	1,3	GEV-04LLRK 1/8"
		6	R 1/8 keg.	8	12	11	26	14,5	1,4	GEV-06LLRK 1/8"
		8	R 1/8 keg.	8	14	12	28	16,5	1,7	GEV-08LLRK 1/8"
L	250	6	R 1/8 keg.	8	14	12	30	15,0	2,5	GEV-06LRK 1/8"
		6	R 1/4 keg.	12	14	14	35	20,0	3,0	GEV-06LRK 1/4"
		6	R 3/8 keg.	12	14	19	36	21,0	5,2	GEV-06LRK 3/8"
		6	R 1/2 keg.	14	14	22	38	23,0	7,0	GEV-06LRK 1/2"
		8	R 1/4 keg.	12	17	17	35	20,0	3,5	GEV-08LRK 1/4"
		8	R 3/8 keg.	12	17	19	36	21,0	6,2	GEV-08LRK 3/8"
		8	R 1/2 keg.	14	17	22	38	23,0	7,5	GEV-08LRK 1/2"
		10	R 1/4 keg.	12	19	17	36	21,0	4,5	GEV-10LRK 1/4"
		10	R 3/8 keg.	12	19	19	36	21,0	5,5	GEV-10LRK 3/8"
		10	R 1/2 keg.	14	19	24	38	23,0	7,5	GEV-10LRK 1/2"
		12	R 3/8 keg.	12	22	19	37	22,0	5,5	GEV-12LRK 3/8"
		12	R 1/2 keg.	14	22	24	39	24,0	6,0	GEV-12LRK 1/2"
		15	R 3/8 keg.	12	27	24	38	23,0	8,0	GEV-15LRK 3/8"
		15	R 1/2 keg.	14	27	24	40	25,0	11,0	GEV-15LRK 1/2"
		160	18	R 1/2 keg.	14	32	27	41	25,5	13,0
LL	100	4	R 1/8 keg.	8	10	11	26	16,0	1,3	GEV-04LLRK 1/8"
		6	R 1/8 keg.	8	12	11	26	14,5	1,4	GEV-06LLRK 1/8"
		8	R 1/8 keg.	8	14	12	28	16,5	1,7	GEV-08LLRK 1/8"
L	250	6	R 1/8 keg.	8	14	12	30	15,0	2,5	GEV-06LRK 1/8"
		6	R 1/4 keg.	12	14	14	35	20,0	3,0	GEV-06LRK 1/4"

series	PN	Ra	G	i	S2	S1	L2	l2	weight %	article	
LL	100	4	M8 x 1 keg.	8	10	10	25,5	16,0	1,1	GEV-04LLMK 08x1,0	
		6	M10 x 1 keg.	8	12	11	26,0	14,5	1,5	GEV-06LLMK 10x1,0	
		8	M10 x 1 keg.	8	14	12	28,0	16,5	1,8	GEV-08LLMK 10x1,0	
L	250	6	M10 x 1 keg.	8	14	14	30,5	16,0	2,5	GEV-06LMK 10x1,0	
		8	M12 x 1,5 keg.	12	17	14	35,0	20,0	3,9	GEV-08LMK 12x1,5	
		10	M14 x 1,5 keg.	12	19	17	36,0	21,0	5,1	GEV-10LMK 14x1,5	
		12	M16 x 1,5 keg.	12	22	19	37,0	22,0	6,8	GEV-12LMK 16x1,5	
		15	M18 x 1,5 keg.	12	27	24	40,0	23,0	9,7	GEV-15LMK 18x1,5	
		160	18	M22 x 1,5 keg.	14	32	27	42,0	25,5	14,3	GEV-18LMK 22x1,5

